

Chain INPUT (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
1144K	175M	ACCEPT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	ctstate
RELATED,ESTABLISHED									
99118	5947K	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
13713	1940K	INPUT_direct	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
12867	1909K	INPUT_ZONES_SOURCE	all	--	*	*	0.0.0.0/0	0.0.0.0/0	0.0.0.0/0
12867	1909K	INPUT_ZONES	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
1	40	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	ctstate
INVALID									
420	123K	REJECT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	reject-with
icmp-host-prohibited									

Chain FORWARD (policy ACCEPT 0 packets, 0 bytes)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	ACCEPT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	ctstate
RELATED,ESTABLISHED									
0	0	ACCEPT	all	--	lo	*	0.0.0.0/0	0.0.0.0/0	
0	0	FORWARD_direct	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
0	0	FORWARD_IN_ZONES_SOURCE	all	--	*	*	0.0.0.0/0	0.0.0.0/0	0.0.0.0/0
0	0	FORWARD_IN_ZONES	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
0	0	FORWARD_OUT_ZONES_SOURCE	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
0	0	FORWARD_OUT_ZONES	all	--	*	*	0.0.0.0/0	0.0.0.0/0	
0	0	DROP	all	--	*	*	0.0.0.0/0	0.0.0.0/0	ctstate
INVALID									
0	0	REJECT	all	--	*	*	0.0.0.0/0	0.0.0.0/0	reject-with
icmp-host-prohibited									

Chain OUTPUT (policy ACCEPT 1245K packets, 181M bytes)

pkts	bytes	target	prot	opt	in	out	source	destination
1245K	181M	OUTPUT_direct	all	--	*	*	0.0.0.0/0	0.0.0.0/0

Chain FORWARD\_IN\_ZONES (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	FWDI_public	all	--	p1p1	*	0.0.0.0/0	0.0.0.0/0	[goto]
0	0	FWDI_public	all	--	+	*	0.0.0.0/0	0.0.0.0/0	[goto]

Chain FORWARD\_IN\_ZONES\_SOURCE (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FORWARD\_OUT\_ZONES (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
0	0	FWDO_public	all	--	*	p1p1	0.0.0.0/0	0.0.0.0/0	[goto]
0	0	FWDO_public	all	--	*	+	0.0.0.0/0	0.0.0.0/0	[goto]

Chain FORWARD\_OUT\_ZONES\_SOURCE (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FORWARD\_direct (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDI\_public (2 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	FWDI_public_log	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	FWDI_public_deny	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	FWDI_public_allow	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	ACCEPT	icmp	--	*	*	0.0.0.0/0	0.0.0.0/0

Chain FWDI\_public\_allow (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDI\_public\_deny (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDI\_public\_log (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDO\_public (2 references)

pkts	bytes	target	prot	opt	in	out	source	destination
0	0	FWDO_public_log	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	FWDO_public_deny	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	FWDO_public_allow	all	--	*	*	0.0.0.0/0	0.0.0.0/0

Chain FWDO\_public\_allow (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDO\_public\_deny (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain FWDO\_public\_log (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain INPUT\_ZONES (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
12867	1909K	IN_public	all	--	p1p1	*	0.0.0.0/0	0.0.0.0/0	[goto]
0	0	IN_public	all	--	+	*	0.0.0.0/0	0.0.0.0/0	[goto]

Chain INPUT\_ZONES\_SOURCE (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
------	-------	--------	------	-----	----	-----	--------	-------------

Chain INPUT\_direct (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination
846	30448	ACCEPT	2	--	*	*	0.0.0.0/0	0.0.0.0/0

Chain IN\_public (2 references)

pkts	bytes	target	prot	opt	in	out	source	destination
12867	1909K	IN_public_log	all	--	*	*	0.0.0.0/0	0.0.0.0/0
12867	1909K	IN_public_deny	all	--	*	*	0.0.0.0/0	0.0.0.0/0
12867	1909K	IN_public_allow	all	--	*	*	0.0.0.0/0	0.0.0.0/0
0	0	ACCEPT	icmp	--	*	*	0.0.0.0/0	0.0.0.0/0

Chain IN\_public\_allow (1 references)

pkts	bytes	target	prot	opt	in	out	source	destination	
3	208	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:22
ctstate NEW									
1804	93808	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:
80 ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:443
ctstate NEW									
26	1278	ACCEPT	udp	--	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:
69 ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:21
ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:3306
ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:2049
ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:
20048 ctstate NEW									
0	0	ACCEPT	udp	--	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:
20048 ctstate NEW									
0	0	ACCEPT	tcp	--	*	*	0.0.0.0/0	0.0.0.0/0	tcp dpt:111
ctstate NEW									
0	0	ACCEPT	udp	--	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:111
ctstate NEW									

```

0 0 ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp dpt:
4011 ctstate NEW
1706 138K ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp dpt:
137 ctstate NEW
446 101K ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp dpt:
138 ctstate NEW
0 0 ACCEPT  tcp -- *  *  0.0.0.0/0  0.0.0.0/0  tcp dpt:139
ctstate NEW
0 0 ACCEPT  tcp -- *  *  0.0.0.0/0  0.0.0.0/0  tcp dpt:445
ctstate NEW
1216 673K ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp dpt:
67 ctstate NEW
0 0 ACCEPT  tcp -- *  *  0.0.0.0/0  0.0.0.0/0  tcp dpt:53
ctstate NEW
0 0 ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp dpt:53
ctstate NEW
7245 780K ACCEPT  udp -- *  *  0.0.0.0/0  0.0.0.0/0  udp
dpts:49152:65532 ctstate NEW

```

Chain IN\_public\_deny (1 references)

```
pkts bytes target  prot opt in  out  source  destination
```

Chain IN\_public\_log (1 references)

```
pkts bytes target  prot opt in  out  source  destination
```

Chain OUTPUT\_direct (1 references)

```
pkts bytes target  prot opt in  out  source  destination
```